



**COVERAGE:**

Street Marking Paint will cover 150-250 square feet per gallon (14-23 square meters per 3.785 liters) or 600 to 700 lineal feet of four-inch wide line, depending on surface roughness. Approximate dry mil thickness of 4.6 to 2.8 mils at application rate of 150 to 250 square feet per gallon.

**DRYING:**

Optimum drying conditions are 60° F. to 90° F. (16° C. to 32° C.) at 50% R.H.

To Touch . . . . . 5-10 Minutes  
To Recoat . . . . . 30-60 Minutes

Lower temperatures and high humidity will slow dry.

**DESCRIPTION:**

Alkyd Zone Marking Paint is an exceptionally durable, fast drying alkyd paint for striping and lane marking on asphalt or concrete, driveways, parking lots, sidewalks, curbs, or airport runways. This product has excellent hide and bleed resistance and dries to a gloss-free, highly visible finish. Available in yellow and white.

Values based on **Alkyd Zone Marking Paint, 0416 White**

- Weight Gallon: 11.62
- Weight Solids: 71.5%
- Volume Solids: 47.8%
- Coverage:
  - @ 1 Dry Mil: 768 sq. ft./gallon
  - @ Spread Rate: 400 sq. ft./gallon (4.0 mils wet)
  - Deposits a 1.9 mil dry film
- VOC (g/l): Not to exceed 450
- Viscosity: 82-87 K.U. @ 77° F.
- Gloss @ 60: 10 Max, Flat
- Grind (Hegman): #4-4.5
- DOT Class: Flammable, Flash Point 57°F., UN1263
- Federal Specification: N/A
- HMIS/NFPA: 1,3,0
- Cure Time (Based on 70° F. & 50% R.H.):
  - To Touch: 10 Minutes
  - To Recoat: 60 Minutes

Recommended Thinner: None. Apply at package viscosity. Mineral spirits for clean-up

Temperature Resistance: Continuous 150° F., Intermittent 200° F.

**WARNING! FLAMMABLE!** Keep away from heat and open flame. Avoid prolonged contact with skin and breathing of vapor or spray mist. Do not take internally. Close container after each use. Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN. For specific safety requirements, refer to the Material Safety Data Sheet.

LIMITATION OF LIABILITY: To the best of our knowledge, the technical data contained herein is true and accurate at the date of issuance, but is subject to change without prior notice. We make no guarantee of any kind, express or implied, including merchantability and fitness for particular purposes. Liability, if any, is limited to replacement of the product or refund of the purchase price. Labor, or cost of labor, and other consequential damages are hereby excluded.